

POLLMER

maxCIS
Coating - Insulation - Sealing



DECLARATION OF PERFORMANCE

2404

POLLMER YAPI KİMYASALLARI SANAYİ VE TİCARET LİMİTED ŞİRKETİ

Deliklikaya Mah. Canyolu Cad. NO: 23H ARNAVUTKÖY İSTANBUL

info@pollmer.co

23

MAXCIS 371-UV

Yüzey Koruma Mamulleri, Kaplama Uygulaması (C)/2.2
Surface Protection Systems Principle 2(MC) 2.2 (Coatings)

2404-CPR-BK1047

DOP NO: SMP-07

EN 1504-2:2004

Test Name	Declared Value
Su Buharı Geçirgenliği (Water-Vapour Transmission Properties)	Sınıf I (Class I)
Kapiler Su Emme ve Su Geçirgenliği (Liquid Water Permeability)	0,0075 kg/m2.h0,5
Çekip Koparma Deneyi ile Yapışma (Bond Strength by Pull-off)	2,20 Mpa
Yangına Yekpi (Reaction to Fire)	E
Tehlikeli Maddeler (Chemicals Dangerous to the Environment and Health)	Madde 5.4 uygun Complies with 5.4

POLLMER YAPI KİMYASALLARI SAN. VE TİC. LTD. ŞTİ.
Deliklikaya Mah. Canyolu Cad. No: 23/H Arnavutköy/İST.
Büyükçekmece V.D.: 7321971413
Mersis No: 0732197141300001 - Tic. Sic. No: 1021084